




USER MANUAL









BAR STOOLS

Attention: This instruction contains important safety information, please carefully read it and keep it for future reference.

Attention:


- Extra hardware parts and foot pads are provided for the purpose of possible repair or replacement in the future.
- In the process of assembly, be sure to keep all small parts in the package out of reach of babies and children, which pose a choking hazard if swallowed or inhaled; keep the packaging materials (film, plastic bags, foam, etc.) away from babies and children to avoid potential dangers of suffocation.
- Do not fully tighten any screw until all screws are aligned with their corresponding holes.
- Two persons are required for the assembly; for the purpose of a time-saving and hassle-free assembly, please act in compliance with the step-by-step instructions.
- Children are not allowed to play on, stand on or jump from the counter stool which is intended for the storage and organization purposes only.
- The seller bears no responsibility and/or liability for any personal injury and/or property damage arising from improper use or incorrect assembly of the counter stool.
- During the assembly, please be wary of sharp corners of the wooden panel or the metal frame, it is commended to wear a pair of gloves when you come into contact with these parts.
- Any unauthorized modification to this item will void its warranty.

Parts List

<p>A*1</p> 	<p>B*4</p> 	<p>C*1</p> 
<p>F*1</p> 	<p>G*1</p> 	<p>①*12+1 pcs</p>  <p>M6*20mm</p>
<p>②*4+1 pcs</p>  <p>M6*30mm</p>	<p>③*1 pc</p>  <p>M6</p>	

Assembly Steps

Step 1



①*4 pcs




M6*20mm


- Use a hex key (3) and the screw (1) to connect metal plate (C) to the wooden leg (B). Tighten the screw to 80%.

Assembly Steps

Step 2



②*4 pcs




M6*30mm

- Use the hex key (3) and screws (2) to connect the metal ring (F) to the wooden leg (B). Ensure all screws are fully tightened.

Assembly Steps

Step 3



①*4 pcs




M6*20mm

- Use hex key (3) and screw (1) to secure rotary disk (G) to wooden leg. Ensure all screws are fully tightened.

Assembly Steps

Step 4



①*4 pcs



M6*20mm

- Use a hex key (3) and screw (1), install the assembled wooden legs onto the seat panel (A). Ensure all screws are fully tightened.

Assembly Steps

Step 5

