

Assembly Instruction







BEFORE YOU START


Please check the parts list before installation to ensure all parts are present. If there is anything missing or damaged, please directly contact us by e-mail for replacement parts.


Participant: 





Required tools: 

PARTS LIST

A		M6*12 x6
B		M6*30 x3
C		Φ12 x3
D		Φ9 x3
E		Φ22*12*M6 x3
F		Φ8*3 x4


Allen wrench
x1





1		1PCS
2		1PCS
3		3PCS
4		1PCS

STEP 1





Please connect and align the ③ with ② -round frame(which side has holes) then insert the six Screw A into the holes on the frame.


A		M6*12 x6
---	---	-------------



STEP 2

Please connect and align the ③ with ④ -round frame
(make sure the side with 6 holes is facing up)
then insert Screw B&D&C through the holes;
the last insert Screw E into the holes as shown.
Note: The 6 holes in ④ are different,
3 are penetrable, 3 are not.


B		M6*30 x3
C		Φ12 x3
D		Φ9 x3
E		Φ22*12*M6 x3



STEP 3


Turn the table upside down and put the 4 anti-silding
silent gasket onto the inner ② frame.

F		Φ8*3 x4
---	---	------------



STEP 4

Put the glass on the top, and enjoy your new coffee table.



Be Your Home Soulmate >